Author Index

Aaviksaa, A., see Tõugu, V. (1157) 199
Aber, G.M., see Davies, S.J. (1157) 204
Åkerström, B., see Bratt, T. (1157) 147
Anderson, A.J., see Aneiros, A. (1157) 86
Aneiros, A., García, I., Martínez, J.R., Harvey, A.L., Anderson, A.J., Marshall, D.L., Engström, Å., Hellman, U. and Karlsson, E.
A potassium channel toxin from the secretion of the sea anemone *Bunodosoma granulifera*. Isolation, amino acid sequence and biological activity (1157) 86
Araki, H., see Khan, M.M.H. (1157) 119
Arnold, W.M., Gessner, A.G. and Zimmermann, U.
Dielectric measurements on electro-manipulation media (1157) 32

Baggiani, C., see Giraudi, G. (1157) 211
Barden, J.A., see Shahidi, S. (1157) 74
Bartels, E.M., Cooke, P.H., Elliott, G.F. and Hughes, R.A.
The myosin molecule – charge response to nucleotide binding (1157) 63
Bereznowski, Z., see Świerczyński, J. (1157) 55
Biou, D., see Jezequel-Cuer, M. (1157) 252
Boldyrev, A.A., see Pavlov, A.R. (1157) 304
Boveris, A., see Gonzalez-Flecha, B. (1157) 155
Bratt, T., Olsson, H., Sjöberg, E.M., Jergil, B. and Åkerström, B.
Cleavage of the α_1-microglobulin-bikunin precursor is localized to the Golgi apparatus of rat liver cells (1157) 147

Carlucci, F., see Lorenzi, M. (1157) 9
Castellano, F.N., He, Z. and Greenaway, F.T.
Hydroxyl radical production in the reactions of copper-containing amine oxidases with substrates (1157) 162
Cederbaum, A.I., see Puntarulo, S. (1157) 1
Child, S.J. and Hruby, D.E.
Further characterization of an adenosine-containing modification of vaccinia virus proteins (1157) 217
Cook, D.I., see Shahidi, S. (1157) 74
Cook, M.E., see Orth, M.W. (1157) 229
Cooke, P.H., see Bartels, E.M. (1157) 63
Cotič, V., see Križaj, I. (1157) 81

Davies, M.J., see Greenley, T.L. (1157) 23
Davies, S.J., D'Sousa, R., Philips, H., Mattey, D., Hiley, C., Hayes, J.D., Aber, G.M. and Strange, R.C.
Localisation of α, μ and π class glutathione *S*-transferases in kidney: comparison with CuZn superoxide dismutase (1157) 204
Davis, S.S., see Moghimi, S.M. (1157) 233
De Jong, M., see Van Stralen, P.G.J. (1157) 114
De Martino, A., see Lorenzi, M. (1157) 9
Dickerson, Jr., J.E. and Lou, M.F.
A new mixed disulfide species in human cataractous and aged lenses (1157) 141
Docter, R., see Van Stralen, P.G.J. (1157) 114
D'Sousa, R., see Davies, S.J. (1157) 204
Dupin, A.M., see Pavlov, A.R. (1157) 304
Durand, G., see Jezequel-Cuer, M. (1157) 252

East, J., see Hill, E.M. (1157) 297
Eberhardt, M.K., Santos, C. and Soto, M.A.
Formation of hydroxyl radicals and Co^{3+} in the reaction of Co^{2+}-EDTA with hydrogen peroxide. Catalytic effect of Fe^{3+} (1157) 102
Elliott, G.F., see Bartels, E.M. (1157) 63
Engström, Å., see Aneiros, A. (1157) 86
Evelson, P., see Gonzalez-Flecha, B. (1157) 155

Fiedler, S., see Schnelle, T. (1157) 127
Fitch, C.D., see Orjih, A.U. (1157) 270
Fitzgerald, T.I.W.T., see Tamura, M. (1157) 15
Fuhr, G., see Schnelle, T. (1157) 127
Fujii, H., see Shimomura, Y. (1157) 290
Fujitsuka, N., see Shimomura, Y. (1157) 290
Fukuda, M., Takagi, T. and Shikama, K.
Polymorphic hemoglobin from a midge larva (*Tokunagayusurika akamusi*) can be divided into two different types (1157) 185

García, I., see Aneiros, A. (1157) 86
Gessner, A.G., see Arnold, W.M. (1157) 32
Giraudi, G. and Baggiani, C.
Solvent effect on testosterone-antitestosterone interaction (1157) 211
Gonzalez-Flecha, B., Evelson, P., Sterin-Speziale, N. and Boveris, A.
Hydrogen peroxide metabolism and oxidative stress in cortical, medullary and papillary zones of rat kidney (1157) 155
Goto, M., see Kano, K. (1157) 324
Greenaway, F.T., see Castellano, F.N. (1157) 162
Greenley, T.L. and Davies, M.J.
Radical production from peroxide and peracid tumour promoters: EPR spin trapping studies (1157) 23
Gubenšek, F., see Križaj, I. (1157) 81
Gunwar, S., see Reddy, G.K. (1157) 241

Hagedorn, R., see Schnelle, T. (1157) 127
Hamburger, A.W., see Mishra, S. (1157) 93
Hamr, A., Vlasáková, V. and Kolínská, J.
α2,6-Sialyltransferase predominates in cultured jejunum of suckling rats: it is up-regulated by dexamethasone and secreted during cultivation (1157) 285
Harris, R.A., see Shimomura, Y. (1157) 290
Harvey, A.L., see Aneiros, A. (1157) 86
Hayes, J.D., see Davies, S.J. (1157) 204
He, Z., see Castellano, F.N. (1157) 162
Hedeman, H., see Moghimi, S.M. (1157) 233
Hellman, U., see Aneiros, A. (1157) 86
Hennemann, G., see Van Stralen, P.G.J. (1157) 114
Hiley, C., see Davies, S.J. (1157) 204
Hill, E.M., Holland, D.L. and East, J.
Egg hatching activity of trihydroxylated eicosanoids in the barnacle *Balanus balanoides* (1157) 297
Holland, D.L., see Hill, E.M. (1157) 297
Horton, P.J., see Tamura, M. (1157) 15
Hosomi, O., Takeya, A. and Yazawa, S.
A novel lectin in rabbit serum binds H type 1, H type 2 and *N*-acetyl lactosamine structures (1157) 45

Author Index

Aaviksaa, A., see Tõugu, V. (1157) 199
Aber, G.M., see Davies, S.J. (1157) 204
Åkerström, B., see Bratt, T. (1157) 147
Anderson, A.J., see Aneiros, A. (1157) 86
Aneiros, A., García, I., Martínez, J.R., Harvey, A.L., Anderson, A.J., Marshall, D.L., Engström, Å., Hellman, U. and Karlsson, E.
A potassium channel toxin from the secretion of the sea anemone *Bunodosoma granulifera*. Isolation, amino acid sequence and biological activity (1157) 86
Araki, H., see Khan, M.M.H. (1157) 119
Arnold, W.M., Gessner, A.G. and Zimmermann, U.
Dielectric measurements on electro-manipulation media (1157) 32

Baggiani, C., see Giraudi, G. (1157) 211
Barden, J.A., see Shahidi, S. (1157) 74
Bartels, E.M., Cooke, P.H., Elliott, G.F. and Hughes, R.A.
The myosin molecule – charge response to nucleotide binding (1157) 63
Bereznowski, Z., see Świerczyński, J. (1157) 55
Biou, D., see Jezequel-Cuer, M. (1157) 252
Boldyrev, A.A., see Pavlov, A.R. (1157) 304
Boveris, A., see Gonzalez-Flecha, B. (1157) 155
Bratt, T., Olsson, H., Sjöberg, E.M., Jergil, B. and Åkerström, B.
Cleavage of the α_1-microglobulin-bikunin precursor is localized to the Golgi apparatus of rat liver cells (1157) 147

Carlucci, F., see Lorenzi, M. (1157) 9
Castellano, F.N., He, Z. and Greenaway, F.T.
Hydroxyl radical production in the reactions of copper-containing amine oxidases with substrates (1157) 162
Cederbaum, A.I., see Puntarulo, S. (1157) 1
Child, S.J. and Hruby, D.E.
Further characterization of an adenosine-containing modification of vaccinia virus proteins (1157) 217
Cook, D.I., see Shahidi, S. (1157) 74
Cook, M.E., see Orth, M.W. (1157) 229
Cooke, P.H., see Bartels, E.M. (1157) 63
Cotič, V., see Križaj, I. (1157) 81

Davies, M.J., see Greenley, T.L. (1157) 23
Davies, S.J., D'Sousa, R., Philips, H., Mattey, D., Hiley, C., Hayes, J.D., Aber, G.M. and Strange, R.C.
Localisation of α, μ and π class glutathione *S*-transferases in kidney: comparison with CuZn superoxide dismutase (1157) 204
Davis, S.S., see Moghimi, S.M. (1157) 233
De Jong, M., see Van Stralen, P.G.J. (1157) 114
De Martino, A., see Lorenzi, M. (1157) 9
Dickerson, Jr., J.E. and Lou, M.F.
A new mixed disulfide species in human cataractous and aged lenses (1157) 141
Docter, R., see Van Stralen, P.G.J. (1157) 114
D'Sousa, R., see Davies, S.J. (1157) 204
Dupin, A.M., see Pavlov, A.R. (1157) 304
Durand, G., see Jezequel-Cuer, M. (1157) 252

East, J., see Hill, E.M. (1157) 297
Eberhardt, M.K., Santos, C. and Soto, M.A.
Formation of hydroxyl radicals and Co^{3+} in the reaction of Co^{2+}-EDTA with hydrogen peroxide. Catalytic effect of Fe^{3+} (1157) 102
Elliott, G.F., see Bartels, E.M. (1157) 63
Engström, Å., see Aneiros, A. (1157) 86
Evelson, P., see Gonzalez-Flecha, B. (1157) 155

Fiedler, S., see Schnelle, T. (1157) 127
Fitch, C.D., see Orjih, A.U. (1157) 270
Fitzgerald, T.I.W.T., see Tamura, M. (1157) 15
Fuhr, G., see Schnelle, T. (1157) 127
Fujii, H., see Shimomura, Y. (1157) 290
Fujitsuka, N., see Shimomura, Y. (1157) 290
Fukuda, M., Takagi, T. and Shikama, K.
Polymorphic hemoglobin from a midge larva (*Tokunagayusurika akamusi*) can be divided into two different types (1157) 185

García, I., see Aneiros, A. (1157) 86
Gessner, A.G., see Arnold, W.M. (1157) 32
Giraudi, G. and Baggiani, C.
Solvent effect on testosterone-antitestosterone interaction (1157) 211
Gonzalez-Flecha, B., Evelson, P., Sterin-Speziale, N. and Boveris, A.
Hydrogen peroxide metabolism and oxidative stress in cortical, medullary and papillary zones of rat kidney (1157) 155
Goto, M., see Kano, K. (1157) 324
Greenaway, F.T., see Castellano, F.N. (1157) 162
Greenley, T.L. and Davies, M.J.
Radical production from peroxide and peracid tumour promoters: EPR spin trapping studies (1157) 23
Gubenšek, F., see Križaj, I. (1157) 81
Gunwar, S., see Reddy, G.K. (1157) 241

Hagedorn, R., see Schnelle, T. (1157) 127
Hamburger, A.W., see Mishra, S. (1157) 93
Hamr, A., Vlasáková, V. and Kolínská, J.
α2,6-Sialyltransferase predominates in cultured jejunum of suckling rats: it is up-regulated by dexamethasone and secreted during cultivation (1157) 285
Harris, R.A., see Shimomura, Y. (1157) 290
Harvey, A.L., see Aneiros, A. (1157) 86
Hayes, J.D., see Davies, S.J. (1157) 204
He, Z., see Castellano, F.N. (1157) 162
Hedeman, H., see Moghimi, S.M. (1157) 233
Hellman, U., see Aneiros, A. (1157) 86
Hennemann, G., see Van Stralen, P.G.J. (1157) 114
Hiley, C., see Davies, S.J. (1157) 204
Hill, E.M., Holland, D.L. and East, J.
Egg hatching activity of trihydroxylated eicosanoids in the barnacle *Balanus balanoides* (1157) 297
Holland, D.L., see Hill, E.M. (1157) 297
Horton, P.J., see Tamura, M. (1157) 15
Hosomi, O., Takeya, A. and Yazawa, S.
A novel lectin in rabbit serum binds H type 1, H type 2 and *N*-acetyl lactosamine structures (1157) 45

Hruby, D.E., see Child, S.J. (1157) 217
Hudson, B.G., see Reddy, G.K. (1157) 241
Hughes, R.A., see Bartels, E.M. (1157) 63

Ikeda, T., see Kano, K. (1157) 324
Illum, L., see Moghimi, S.M. (1157) 233

Jergil, B., see Bratt, T. (1157) 147
Jezequel-Cuer, M., N'Guyen-Cong, H., Biou, D. and Durand, G.
Oligosaccharide specificity of normal human hepatocyte α1–3 fucosyltransferase (1157) 252
Johansson, G., see Ståhlberg, J. (1157) 107

Kalluri, R., see Reddy, G.K. (1157) 241
Kambara, T., see Khan, M.M.H. (1157) 119
Kano, K., Mori, T., Uno, B., Goto, M. and Ikeda, T.
Characterization of topa quinone cofactor (1157) 324
Karlsson, E., see Aneiros, A. (1157) 86
Kesvatera, T., see Tõugu, V. (1157) 199
Khan, M.M.H., Yamamoto, T., Araki, H., Shibuya, Y. and Kambara, T.
Role of Hageman factor/kallikrein-kinin system in pseudomonal elastase-induced shock model (1157) 119
Kikuchi, S., see Mukai, K. (1157) 313
Kim, S.S., see Yang, J.H. (1157) 178
Kinuta, M., Ubuka, T., Yao, K., Yamada, S., Yukihiro, K. and Tomozawa, M.
Preparation and characterization of *S*-[2-carboxy-1-(1*H*-imidazol-4-yl)ethyl]glutathione and its derivatives as proposed precursors of *S*-[2-carboxy-1-(1*H*-imidazol-4-yl)ethyl]cysteine, a compound found in human urine (1157) 192
Kirkpatrick, A., see Werkmeister, J.A. (1157) 50
Koike, S., see Matsue, T. (1157) 332
Kolínská, J., see Hamr, A. (1157) 285
Krenning, E.P., see Van Stralen, P.G.J. (1157) 114
Križaj, I., Siigur, J., Samel, M., Cotič, V. and Gubenšek, F.
Isolation, partial characterization and complete amino acid sequence of the toxic phospholipase A2 from the venom of the common viper, *Vipera berus berus* (1157) 81
Kuroda, T., see Suda, N. (1157) 318

Lääne, A., see Tõugu, V. (1157) 199
Lee, R.W.-K., see Thompson, S.N. (1157) 259
Lim, C.F., see Van Stralen, P.G.J. (1157) 114
Lorenzi, M., De Martino, A., Carlucci, F., Tabucchi, A., Porcelli, B., Pizzichini, M., Marinello, E. and Pagani, R.
Nitrogen metabolism during liver regeneration (1157) 9
Lou, M.F., see Dickerson, Jr., J.E. (1157) 141

Makarewicz, W., see Świerczyński, J. (1157) 55
Marinello, E., see Lorenzi, M. (1157) 9
Marshall, D.L., see Aneiros, A. (1157) 86
Martinez, D.A., see Orth, M.W. (1157) 229
Martínez, J.R., see Aneiros, A. (1157) 86
Matsue, T., Matsumoto, N., Koike, S. and Uchida, I.
Microring-ring electrode for manipulation of a single cell (1157) 332
Matsumoto, N., see Matsue, T. (1157) 332
Mattey, D., see Davies, S.J. (1157) 204
McKenzie, J.A., see Werkmeister, J.A. (1157) 50
Mishra, S. and Hamburger, A.W.
A microtiter enzyme-linked immunosorbent assay for protein tyrosine phosphatase (1157) 93
Moghimi, S.M., Hedeman, H., Muir, I.S., Illum, L. and Davis, S.S.
An investigation of the filtration capacity and the fate of large filtered sterically-stabilized microspheres in rat spleen (1157) 233
Mori, T., see Kano, K. (1157) 324
Morimoto, H., see Mukai, K. (1157) 313
Morita, I., see Suda, N. (1157) 318
Moura, I., see Underwood-Lemons, T. (1157) 275
Muir, I.S., see Moghimi, S.M. (1157) 233
Mukai, K., Morimoto, H., Kikuchi, S. and Nagaoka, S.-i.
Kinetic study of free-radical-scavenging action of biological hydroquinones (reduced forms of ubiquinone, vitamin K and tocopherol quinone) in solution (1157) 313
Müller, T., see Schnelle, T. (1157) 127
Murota, S.-i., see Suda, N. (1157) 318

Nagaoka, S.-i., see Mukai, K. (1157) 313
Naoi, M., see Shimomura, Y. (1157) 290
Naruse, M., see Tamura, M. (1157) 15
Nelson, J., see Tamura, M. (1157) 15
N'Guyen-Cong, H., see Jezequel-Cuer, M. (1157) 252
Noelken, M.E., see Reddy, G.K. (1157) 241

Olsson, H., see Bratt, T. (1157) 147
Orjih, A.U. and Fitch, C.D.
Hemozoin production by *Plasmodium falciparum*: variation with strain and exposure to chloroquine (1157) 270
Orth, M.W., Martinez, D.A., Cook, M.E. and Vailas, A.C.
The presence of lysylpyridinoline in the hypertrophic cartilage of newly hatched chicks (1157) 229

Pagani, R., see Lorenzi, M. (1157) 9
Parker, J.G.
On the inactivation of bacteria by singlet oxygen – another view (1157) 209
Pavlov, A.R., Revina, A.A., Dupin, A.M., Boldyrev, A.A. and Yaropolov, A.I.
The mechanism of interaction of carnosine with superoxide radicals in water solutions (1157) 304
Pettersson, G., see Ståhlberg, J. (1157) 107
Pezacka, E.H.
Identification and characterization of two enzymes involved in the intracellular metabolism of cobalamin. Cyanocobalamin β-ligand transferase and microsomal cob(III)alamin reductase (1157) 167
Philips, H., see Davies, S.J. (1157) 204
Pizzichini, M., see Lorenzi, M. (1157) 9
Porcelli, B., see Lorenzi, M. (1157) 9
Poronnik, P., see Shahidi, S. (1157) 74
Price, Jr., E., see Tamura, M. (1157) 15
Puntarulo, S. and Cederbaum, A.I.
Stimulation of microsomal chemiluminescence by ferritin (1157) 1

Reddy, G.K., Gunwar, S., Kalluri, R., Hudson, B.G. and Noelken, M.E.
Structure and composition of type IV collagen of bovine aorta (1157) 241
Revina, A.A., see Pavlov, A.R. (1157) 304
Rivett, D.E., see Werkmeister, J.A. (1157) 50

Sakakibara, M., see Tamura, M. (1157) 15
Samel, M., see Križaj, I. (1157) 81
Santos, C., see Eberhardt, M.K. (1157) 102
Schnelle, T., Hagedorn, R., Fuhr, G., Fiedler, S. and Müller, T.
Three-dimensional electric field traps for manipulation of cells – calculation and experimental verification (1157) 127
Shahidi, S., Poronnik, P., Barden, J.A. and Cook, D.I.
Structure-function relations of biotin derivatives of apamin (1157) 74
Shibuya, Y., see Khan, M.M.H. (1157) 119
Shikama, K., see Fukuda, M. (1157) 185

Shimomura, Y., Fujii, H., Suzuki, M., Fujitsuka, N., Naoi, M., Sugiyama, S. and Harris, R.A.
Branched-chain 2-oxo acid dehydrogenase complex activation by tetanic contractions in rat skeletal muscle (1157) 290
Siigur, J., see Križaj, I. (1157) 81
Sjöberg, E.M., see Bratt, T. (1157) 147
Soto, M.A., see Eberhardt, M.K. (1157) 102
Ståhlberg, J., Johansson, G. and Pettersson, G.
Trichoderma reesei has no true exo-cellulase: all intact and truncated cellulases produce new reducing end groups on cellulose (1157) 107
Sterin-Speziale, N., see Gonzalez-Flecha, B. (1157) 155
Strange, R.C., see Davies, S.J. (1157) 204
Suda, N., Morita, I., Kuroda, T. and Murota, S.-i.
Participation of oxidative stress in the process of osteoclast differentiation (1157) 318
Sugiyama, S., see Shimomura, Y. (1157) 290
Suzuki, M., see Shimomura, Y. (1157) 290
Świerczyński, J., Bereznowski, Z. and Makarewicz, W.
Phosphate-dependent glutaminase of rat skeletal muscle. Some properties and possible role in glutamine metabolism (1157) 55

Tabucchi, A., see Lorenzi, M. (1157) 9
Takagi, T., see Fukuda, M. (1157) 185
Takeya, A., see Hosomi, O. (1157) 45
Tamura, M., Naruse, M., Sakakibara, M., Fitzgerald, T.I.W.T., Horton, P.J., Nelson, J. and Price, Jr., E.
Isolation of an endogenous Na-pump specific inhibitor from normal pig urine: characterization and comparison with the inhibitor purified from bovine adrenal glands (1157) 15
Thompson, S.N. and Lee, R.W.-K.
Metabolic fate of alanine in an insect *Manduca sexta*: effects of starvation and parasitism (1157) 259
Tomozawa, M., see Kinuta, M. (1157) 192
Tõugu, V., Kesvatera, T., Lääne, A. and Aaviksaa, A.
Acetylcholinesterase as polyelectrolyte: interaction with multivalent cationic inhibitors (1157) 199

Ubuka, T., see Kinuta, M. (1157) 192
Uchida, I., see Matsue, T. (1157) 332
Underwood-Lemons, T., Moura, I. and Yue, K.T.
Resonance Raman study of sirohydrochlorin and siroheme in sulfite reductases from sulfate reducing bacteria (1157) 275
Uno, B., see Kano, K. (1157) 324

Vailas, A.C., see Orth, M.W. (1157) 229
Van der Hoek, H.J., see Van Stralen, P.G.J. (1157) 114
Van Stralen, P.G.J., Van der Hoek, H.J., Docter, R., De Jong, M., Krenning, E.P., Lim, C.F. and Hennemann, G.
Reduced T_3 deiodination by the human hepatoblastoma cell line HepG2 caused by deficient T_3 sulfation (1157) 114
Vlasáková, V., see Hamr, A. (1157) 285

Werkmeister, J.A., Kirkpatrick, A., McKenzie, J.A. and Rivett, D.E.
The effect of sequence variations and structure on the cytolytic activity of melittin peptides (1157) 50

Yamada, S., see Kinuta, M. (1157) 192
Yamamoto, T., see Khan, M.M.H. (1157) 119
Yang, J.H. and Kim, S.S.
Purification and characterization of the valine sensitive acetolactate synthase from *Serratia marcescens* ATCC 25419 (1157) 178
Yao, K., see Kinuta, M. (1157) 192
Yaropolov, A.I., see Pavlov, A.R. (1157) 304
Yazawa, S., see Hosomi, O. (1157) 45
Yue, K.T., see Underwood-Lemons, T. (1157) 275
Yukihiro, K., see Kinuta, M. (1157) 192

Zimmermann, U., see Arnold, W.M. (1157) 32